AMERICAN DJ POWER CONTROL PRODUCTS These units offer basic on/off control of AC outlets for audio or lighting gear. The PC-4 offers control of 4 AC 3-prong outlets via 4 lighted switches. The PC-100A offers control of 8 AC 3-prong outlets via 8 lighted switches. It is rackmountable and uses only 1RU of space. Both models feature a 15A resettable circuit breaker.

ITEM	DESCRIPTION	PRICE
PC-4	AC power center, 4 outlets	14.99
PC-100A	AC power center, 8 outlets	29.99

ETA SYSTEMS UL LISTED POWER CONDITIONERS The ETA-ECS6RM and ECS3 are rack-mountable multi-stage sequencing units. The ECS3 is a 15A unit that features three sequential timing sections (activated via the unit or remotely). It includes noise filtering for both EMI and RFI, and spike and surge protection. It has 9 power outlets and 24VDC control outputs. The ETA-ECS6RM is a modular system with six sequential timing sections. It can monitor up to six independent 20A AC main lines both for voltage and current readings and informs of potentially damaging voltages as well as incorporating Extreme Voltage Shutdown. The companion ETA-ECM20 and ETA-15SH/20SH power conditioner units provide voltage monitoring and spike/surge suppression.

ITEM	DESCRIPTION	PRICE
	Rackmount Power Distribution AC (15A) Power Conditioner/Distribution with Spike and Surge Protection, and EMI/RFI Filtration	
PD8	15A, 8 outlets, no lights	69.00
PD8L	15A, 8 outlets, retractable lights	76.50
ETA-S15L	15A, 9 outlets, lights, 1 front panel outlet	148.50
ETA-C15D	15A, 11 outlets, lights, voltmeter, dual front panel outlet	302.50
	Rackmount Power Distribution – Sequential Power	
ETA-ECM20	2A, 2400W module with voltage monitoring, EMI/RFI filtering	95.00
ECM-RACEWY6	Power module strip, holds up to 6 ECM modules, 4 AC inlets	112.50
ETA-15SH	5A, 1800W stand alone module, EMI/RFI filtering, mntg rails	160.50
ETA-20SH	20A, 2400W stand alone module, EMI/RFI filtering, mntg rails	208.50
ETA-ECS3	15A, 1800W sequenced power conditioner and distribution unit with 3 control channels, 9 outlets	412.50
ETA-ECS6RM	6 output sequencer controller with voltage and current monitoring	438.50
AP-GNL18	16" gooseneck LED lamp with XLR connection	32.50

ART 4X4 POWER DISTRIBUTORS These units feature ART's 4x4 layout on the back of the unit – 4 of the 8 rear outputs are spaced 1.25" apart, allowing space for wall warts. They all offer Surge and Spike protection as well as RFI and EMI filtering, front mounted power switches and 15A circuit breakers. They are all rackmountable and use only 1RU of space. The PB4X4 is a basic model. The PS4X4 features backlit linear volt and amp meters. The PS4X4 PRO features LED volt and amp meters, pull out light pipes with auto-off and dimmer, as well as the APF (Advanced Power Filtering) which filters out digital and dimmer hash as well as any high frequency noise that is above the audio range. APF's high power discrete design allows the filter to stay effective over the full operating range.

ITEM	DESCRIPTION	PRICE
PB4X4	Power distributor, 8 outlets	49.00
PS4X4	Power distributor, 8 outlets, analog meters	109.00
PS4X4-PRO	Power distributor, 8 outlets, LED meters, APF filtering	155.00

ART POWER REGULATION The PR8 PRO regulates incoming AC line voltages to deliver clean and stable power. Output voltage at any of the 8 rear AC outlets is maintained within 112-122 volts even when the incoming AC line varies from 97 to 137 volts.

ITEM	DESCRIPTION	PRICE
PR8-PRO	Power regulator with Extreme Voltage Shutdown, Advanced Power Filtering, LCD display, 8 outlets	399.00

EBTECH

EBTECH HUM-X Hum X™ filters out unwanted voltage and current in the ground line that cause ground loop hum while simultaneously maintaining a solid, safe ground. Simply place the Hum X™ on the end of the power cord of the equipment that has a ground loop and plug the Hum X™ into the wall outlet. Ground loop is gone and audio signal remains intact. Easy to use and easy to install.

ITEM	DESCRIPTION	PRICE
HUM-X	Ground hum exterminator	71.99

FURMAN

FURMAN CLASSIC SERIES POWER CONDITIONERS These are 15amp/1800W and 20amp/2400W power conditioners with Series Multi Stage Protection. This absorbs damaging transient voltages and clamps at 188VAC peak, 133 VAC RMS. Other features include 2 retractable, long-life, low-heat LED light fixtures with dimmer switch, BNC utility light connection on the rear panel, 8 rear panel outlets and 1 front panel outlet with circuit breaker and 5-year limited warranty. The PL-PLUS-C and PL-PRO-C add a front panel meter to display incoming line voltage ranging from 90-128V and the DMC versions add a large digital voltmeter/ammeter with discrete dimmer button displaying line voltage and true RMS current draw.

ITEM	DESCRIPTION	PRICE
PL-8C	15A power conditioner	189.95
PL-PLUS-C	15A metered power conditioner	229.95
PL-PLUS-DMC	15A digital readout voltmeter power conditioner	324.95
PL-PRO-C	20A metered power conditioner	374.95
PL-PRO-DMC	20A digital readout voltmeter power conditioner	439.95

FURMAN PLUGLOCK LOCKING OUTLET STRIP A solution to the "wall wart" problem. Securely lock 5 transformers or regular plugs onto a heavy-duty outlet strip.

ITEM	DESCRIPTION	PRICE
PLUGLOCK	Locking outlet strip	40.92

FURMAN P-3600-ARG GLOBAL VOLTAGE REGULATOR A 30 amp power conditioner/True RMS voltage regulator that ensures stable 120V power delivery from any input voltage source between 100V to 127V or 208V to 240V, making it ideal for use when travelling to countries with 100V, 220V, 230V, or 240V services. It features Furman's True RMS Regulation Technology (utilizing an ultra-low-noise torroidal isolation transformer/autoformer, high-current switching TRIACs, and micro-processing control) to step-down or step-up input voltages. The unit also offers Furman's exclusive LiFT/SMP/EVS technologies for professional-level protection and linear AC noise filtration. The front panel has a status LED status light, large LED voltage and current meters and two NEMA-20 power outlets, plus eight more and a L-5 30amp outlet on the rear.

ITEM	DESCRIPTION	PRICE
P-3600-ARG	30A voltage regulator	4199.95

FURMAN AR1215 VOLTAGE REGULATOR/POWER CONDITIONER Delivers a stable stream of AC power to protect equipment from problems caused by AC line voltage irregularities such as sags, brownouts, or over-voltages. Features 8 outlets on the rear panel and one on the front.

ITEM	DESCRIPTION	PRICE
AR1215	15A, for 97-141V	549.95

FURMAN

FURMAN MP-SERIES POWER SEQUENCERS This remote power relay provides remote turn-on for use with PowerLink, ASD-120, PS-REL, and other units. Features turn-on via 12VDC trigger.

ITEM	DESCRIPTION	PRICE
MP20Q	Power relay and outlet, quad plate (120V/20A)	120.00

FURMAN ACD-100 A/C POWER DISTRO Compact, low-cost 100amp power distribution with 5 20amp circuits with high inrush breakers prevent false tripping, MOV spike suppression on each circuit. Four buss design allows easy reconfiguration for 120V, 240V, or 208V 3-phase inputs. 2RU 19" rackmountable. Unit must have supply cable installed by qualified electrician.

ITEM	DESCRIPTION	PRICE
ACD-100	100A power distro	564.95

FURMAN ASD-120 A/C SEQUENCED POWER DISTRO Allows you to power up six 20amp, 120V circuits in a user-adjustable, delayed-sequenced fashion. The sequence is reversed for power down. Each circuit's 20amp rear panel duplex outlet can be switched to be part of or apart from the power up/down sequence, which can be initiated with either momentary or maintained switches, locally or remotely. The ASD-120's design incorporates four oversized busses, allowing wiring for 120V or 240V single phase, or 208V 3-phase power. Unit must have supply cable installed by qualified electrician.

ITEM	DESCRIPTION	PRICE
ASD-120	Sequenced power distro	699.95

FURMAN P-2400 AR 20AMP VOLTAGE REGULATOR/POWER CONDITIONER Delivers a stable 120V of AC power to protect equipment from problems caused by AC line voltage irregularities such as sags, brownouts, or overvoltages. It accepts input voltage between 97V-137V. It is ideal for high-current equipment such as power amplifiers or powering A/V racks in large installations. Additionally, it's a full-featured power conditioner that filters and purifies AC power, reducing line noise and ensuring optimum performance.

ITEM	DESCRIPTION	PRICE
P2400AR	20A voltage regulator/power conditioner	1799.95

PS8R-II

FURMAN PS SERIES POWER CONDITIONERS Powers up equipment in 3 delayed outlet groups, power down in reverse sequence. Power is protected with triple mode Varistor spike and surge suppression, RFI filtering. status LEDs monitor groups and wiring integrity. Rated for 15 amps, the PS8R version has terminals for remote control.

ITEM	DESCRIPTION	PRICE
PS8R-II	Sequencer with remote terminals	299.95
PS-REL	AC relay accessory	39.95
RS1	Wall-key switch remote	39.95

F1500-UPS

FURMAN F1000-UPS AND F1500-UPS UNINTERUPTIBLE POWER SUPPLIES These power supplies provide a comprehensive battery backup solution for electronics which need to maintain critical memory and be shut down properly in the event of a power outage. The F1000-UPS has a 1,000VA capacity with simulated sine wave output, while the F1500-UPS has a 1,500VA capacity with true sine wave output. Both models feature 8 outlets, RS232 interface and IR control to send "Off" command to components that require a shutdown procedure (component must be capable of receiving IR commands).

ITEM	DESCRIPTION	PRICE
F1000-UPS	Programmable uninterruptible power supply, 1000VA	749.95
F1500-UPS	Programmable uninterruptible power supply, 1500VA	1299.95

M-8DX

FURMAN MERIT X SERIES POWER CONDITIONERS Rackmount power conditioners offering "Noise Sniffer" compatible RFI/EMI filtration, and standard level surge and spike protection. The M-8LX also features front-panel lights, and the M-8DX features lights and a digital voltage meter.

ITEM	DESCRIPTION	PRICE
M-8X2	15amp power conditioner	59.40
M-8LX	As M-8X, with front-panel lights	85.80
M-8DX	As M-8X, with front-panel lights and voltage meter	118.80

PST-6

FURMAN POWER STATION SERIES: POWER SURGE STRIPS The Power Station series provides zero ground contamination, series mode maintenance-free surge suppression and Linear Filtering Technology for safe and quiet AC for Home Theatre and other sensitive applications. The PST-8 and PST-8D feature Furman's Series Multi Stage Protection circuit which incorporates Linear Filtering Technology (LiFT) to insure that any electronic device is fed clean, filtered AC power.

ITEM	DESCRIPTION	PRICE
PST-6	6-outlet surge strip	95.00
PST-2+6	8-outlet surge block and surge alarm	45.54
PST-8	8-outlet surge strip	98.34
PST-8-DIGITAL	8-outlet, isolated analog plus digital banks	118.03

P1800PFR

FURMAN PRESTIGE SERIES POWER CONDITIONERS Power conditioners offering high levels of filtration and protection with advanced features like power factor technology to provide the headroom your equipment needs or true RMS voltage regulation. Other features include series multi-stage protection, automatic extreme voltage shutdown, 1800W rating with circuit breaker, rear BNC for optional gooseneck light, isolated outlet banks minimize inter-component interference and noise, wall wart spacing, and USB charger. Each unit has 9 total outlets, 8 in the rear and 1 in the front. The P-1800 AR adds true RMS voltage regulation and the LED voltmeter displays both incoming voltage and output current draw (LED on P-1800PFR only shows voltage in).

ITEM	DESCRIPTION	PRICE
P1800PFR	15-amp power distributor	619.95
P1800AR	15-amp power distributor with RMS regulation	899.95

JUICE GOOSE™

JUICE GOOSE XVRT-PRO SERIES UNINTERRUPTIBLE POWER SUPPLIES Rackmountable, interactive UPSs with a "buck-boost" transformer that corrects incoming voltage to provide proper 120VAC output. Data network interfacing is possible via RS232 or external SNMP card. All models feature 320 Joules of surge protection and up to 50dB of AC line filtration.

ITEM	DESCRIPTION	PRICE
XVRT-1000-PRO	UPS, 1000VA, 600W, 2 hour full load run time, 1RU	485.14
XVRT-1500-PRO	UPS, 1500VA, 900W, 2 hour full load run time, 2RU	627.38
XVRT-2200-PRO	UPS, 2200VA, 1320W, 3 hour full load run time, 3RU	680.72
XVRT-3000-PRO	UPS, 3000VA, 1800W, 2 hour full load run time, 3RU	876.30

JG8.0

JUICE GOOSE JG SERIES POWER CONDITIONERS Switched outlets on the back of each unit provide power and a basic level of protection from dirty and dangerous AC voltage. The basic power conditioning can clamp voltage spikes and reduce AC line interference between line and neutral leads.

ITEM	DESCRIPTION	PRICE
JG-JUNIOR	15A, 6 outlets	44.80
JG8.0	15A, 8 outlets	54.00
JG8.0L	JG8.0 with two sliding dimmable rack lights	75.60
JG8.0LM	JG8.0L with 20 segment color-coded voltmeter	122.85
JG11.0-15A	15A, 11 outlets (1 unswitched and 9 switched on rear, 1 unswitched on front)	97.20
JG11.0-20A	20A, 11 outlets (1 unswitched and 9 switched on rear, 1 unswitched on front), requires 20A rated receptacle	110.70

Leprecon® Pro Lighting Equipment

LEPRECON WATSON POWER MANAGEMENT Provides AC power switching, and DMX buffering, for groups of LED fixtures, color scrollers, or other lighting accessories. Via 1 DMX control channel or through sensing DMX data, fixtures can be turned off when not in use. An additional output adds DMX capacity, as well as a firewall between fixtures and the rest of the control system. Additional features include easy reset control for fixtures needing power cycling and full sine wave power. Power lead not included.

ITEM	DESCRIPTION	PRICE
90-40-0001	9" enclosure, 15A, 1 Powercon in, 1 duplex out, 1 DMX in, 2 DMX out	573.00
90-40-0002	9" enclosure, 15A, 1 Powercon in, 1 Powercon out, 1 DMX in, 2 DMX out	573.00
90-40-0004	19" enclosure, 15A, 1 Powercon in, 6 duplex out, 1 DMX in, 2 DMX out	725.00
90-40-0006	72" raceway, 15A, 1 Powercon in, 6 duplex out, 1 DMX in, 2 DMX out	941.00
DPA-A	Edison to Powercon lead	67.50
DPA-B	Stage Pin to Powercon lead	67.50
DPA-C	Twist-Lock to Powercon lead	67.50

LEX

LEX PRODUCTS CORP. BENTO BOX® Fed from 30A power, this compact unit provides NEMA 5-20, 20A duplex receptacles for lights, effects, audio equipment and more. Features include color-coded receptacles, flush-mounted hydraulic magnetic circuit breakers to prevent thermal-induced false positives, heavy-duty stackable enclosure and collapsible handle and end plate grips.

ITEM	DESCRIPTION	PRICE
BNB2-3B	30-amp Bento Box to 3 NEMA receptacles, feed thru	499.11

LEX PRODUCTS CORP DOGHOUSE Ideal for situations when a large number of convenience receptacles are needed. The feed thru feature allows multiple boxes to be placed along one feed so that receptacles can be easily accessed wherever needed. Power input is via (1) NEMA L21-20 and power output is via (3) NEMA 5-20 receptacles.

ITEM	DESCRIPTION	PRICE
BNZA2-Z2-6	20-amp doghouse to (3) NEMA 5-20, 20A duplex receptacles, feed thru	248.81

LEX PRODUCTS CORP PAGODA POWERHOUSE Fed from either a generator or a panel, and rated for outdoor use, this box can accept up to (30) NEMA 5-20, 20A Edison cords for powering lights, effects and equipment for events. The elevated base keeps receptacles above potentially wet surfaces while the breakers are mounted under a hinged lid for safety. The compact, heavy-duty molded rubber enclosure is fully insulated, resistant to shock, impact or corrosion and is stackable for easy storage and portability.

ITEM	DESCRIPTION	PRICE
DB100NP-ABB-S3	Outdoor-use pagoda distribution box	1439.42

LEX

LEX PRODUCTS CORP 20A FEED-THRU BENTO BOX Ideal for theatrical, concert and movie/TV production - anyplace you need reliable, robust power connections. This 6-circuit box breaks an industry standard lighting cable into NEMA 5-20 20A receptacles for connection of up to 12 lights while the feed-thru option allows multiple boxes to be daisy-chained. The heavy-duty extruded thermoplastic enclosure is electrically insulated, resistant to shock, impact and corrosion, and features end plate grips for easy handling as well as a collapsible handle.

ITEM	DESCRIPTION	PRICE
BNZJ2-Z3	20A, 6-circuit Bento Box	483.50

LEX PRODUCTS CORP QUAD BOX This versatile 20 Amp box enables the user to create stringers using PowerCON inputs and place duplex receptacles exactly where they are needed. The heavy-duty molded rubber enclosure is fully insulated and resistant to shock, impact and corrosion.

ITEM	DESCRIPTION	PRICE
DB20PC-SBPC	20-amp Quad Box with PowerCon input to Edisons, feed thru	119.76

LEX PRODUCTS E-STRING™ EXTENSION CORDS Available in 15A and 20A ratings, these heavy-duty extension cords are perfect for plugging in low-wattage devices such as laptops, display lighting, and photo equipment. Suitable for outdoor use, each outlet on these black cords includes a dust cover and a green LED power indicator for locating outlets in dim situations.

ITEM	DESCRIPTION	PRICE
50123B	E-String, 15A, 3 receptacles, 25'	47.46
50116BA	Orchestra String, 20A, 6 receptacles, 23'4"	63.43
50112BA	E-String, 20A, 6 receptacles, 50'	86.17
59233B	Two circuit, 20A, 4 receptacles, 33'	119.30

LEX PRODUCTS CORP 100AMP COMPANY SWITCH This space-saving metal enclosure provides a safe and convenient means of supplying temporary 3-phase power access. Features such as cam-type connectors and lugs, main-breaker-interlocked doors and integrated LED worklight combine to make this one of the safest, easiest-to-use 5-wire switches available.

ITEM	DESCRIPTION	PRICE
CS-100F-C5DS1	100A, 3-phase indoor company switch	4680.18

Ask us about our 2- and 3-year extended warranties!

Middle Atlantic Products

MIDDLE ATLANTIC PD SERIES RACKMOUNT POWER STRIPS

These cost-effective power units all feature 9 outlets in a variety of configurations. All models feature surge and spike protection, EMI filtering, and are rackmountable, requiring only 1RU of space. The PDC models can be used with existing control systems, or even a remote switch, to control power remotely. The PD-915RV-RN offers remote and local notification of surge suppression status.

ITEM	DESCRIPTION	PRICE
PD915R	Power strip, 8 rear, 1 front, power switch, 9' cord	104.49
PD915R-PL	Power strip, 8 rear, 1 front, no power switch, 9' cord	111.99
PD915RC-20	Power strip, 8 rear, 1 front, power switch, 20' cord	216.09
PD915RV-RN	Power strip, 8 rear, 1 front, power switch, 9' cord, status notification	163.17
PDC-915R-2	Power strip, 8 rear (2 controlled), 1 front, power switch, 9' cord, remote control ability	190.86
PDC-915R-6	Power strip, 8 rear (6 controlled), 1 front, power switch, 9' cord, remote control ability	190.86

MIDDLE ATLANTIC MPR SERIES MODULAR RACEWAY SYSTEM

Create a custom power strip with exactly the functions you need for an installation. Many modules are available, from 15 to 30A outlets, to advanced remotely controlled power modules – even sequencing controller. All retain full ETL Listing. For assistance in building a system, please call a Full Compass sales pro.

PART #	LENGTH	MOUNTING SPACE	MOUNTING SPACE WITH OPTIONAL J-BOX	PRICE
Chassis				
MPR3	32"	24"	32"	45.98
MPR8	72"	64"	72"	57.72
MPR9	80"	72"	80"	61.22

ITEM	DESCRIPTION	PRICE
Optional J-Boxes		
MPR-JB663A	6"x6"x3" J-box	44.84
MPR-JB843A	8"x4"x3" J-box	47.84
MPR-JB853A	8"x5"x3" J-box	50.84
MPR-JB863A	8"x6"x3" J-box	53.84
Modules		
MPR-BL2A	2" blank cover, 2-pack	8.84
MPR-BL4A	4" blank cover, 2-pack	8.84
MPR-BL8A	8" blank cover, 4-pack	8.84
RLM-15-1CA	Stand-alone 15A controlled module, 9' cord	110.03
RLM-20-1CA	Stand-alone 20A controlled module, 9' cord	122.24
M-15A	15A duplex module	55.90
M-2X15A	15A double duplex module	67.19
M-20A	20A duplex module	64.94
M-2X20A	20A double duplex module	78.02
M-20IGA	20A duplex isolated ground module	70.93
M-20TL-HWA	20A twist-lock L5-20R (hardwired only)	62.96
M-30TL-HWA	30A twist-lock L5-30R (hardwired only)	70.45
M-15-IECA	15A 3-gang IEC module	55.90
M-20-IECA	20A 1-gang IEC module	64.94
RLM-15A	15A controlled module	92.39
RLM-20A	20A controlled module	103.52
RLM-20IGA	20A isolated ground controlled module	115.02
Control Modules		
MPR-SEQA	6-step sequencing controller, contact closure control	182.66
FC-4A	Thermostatic fan control module, (4) 1-15R fan receptacles	167.89
FC-4-1CA	Stand-alone thermostatic fan control, (4) 1-15R fan receptacles, 9' cord	184.68
FC-2-215-1CA	Stand-alone thermostatic fan control, (2) 1-15R fan receptacles, (2) 5-15R always on fan receptacles, 9' cord	205.04
MPR-SEQ-1CA	Stand-alone 6-step sequence controller, contact closure control, 9' cord	201.19

Middle Atlantic Products

MIDDLE ATLANTIC SERIES PROTECTION™ POWER DISTRIBUTION

With Series Protection™ technology, it provides instantaneous surge protection for AV systems. Its MOV-free design is non-sacrificial and non-degrading. Automatic recovery after an over/under voltage event minimizes system downtime, avoiding the need for a hard reset. Available in a variety of configurations, including full and half rack models.

ITEM	DESCRIPTION	PRICE
PD-915R-SP	15A with 1 front and 8 rear outlets, 1RU	448.50
PD920R-SP	20A with 1 front and 8 rear outlets, 1RU	568.50
PD-415R-SP	15A with 4 rear outlets, 1RU half-rack	261.75
PD-HW15-SP	15A with hardwire only, no outlets	269.25

MIDDLE ATLANTIC RACKLINK™ POWER MANAGEMENT SYSTEM

A web-enabled power management system for AV installations. Set it up in less than 5 minutes and it will monitor the power and temperature conditions of your system, log and alert you to any irregularities, and even reboot or take another action to correct problems on its own. It is easy to set up and operate, with an open architecture that integrates seamlessly with leading control systems, including your smart phone. It is compatible with "cloud" based services but is not dependent on them. Available in a variety of rackmount and in-line models. Features include remote access via web or serial communication API, free DDNS, automatic data logging, email alerts and the ability to schedule commands.

ITEM	DESCRIPTION	PRICE
RLNK-MON115-NS	15A in-line power monitor module	387.51
RLNK-MON120-NS	20A in-line power monitor module	395.30
RLNK-SW215-NS	15A in-line controlled and monitored power switch	410.85
RLNK-SW220-NS	20A in-line controlled and monitored power switch	418.64
RLNK-SW620R	20A rackmount controlled and monitored power switch, 2-STG surge	807.69
RLNK-SW620R-NS	20A rackmount controlled and monitored power switch	792.14
RLNK-SW715R	15A rackmount controlled and monitored power switch, 2-STG surge	776.57
RLNK-SW715R-NS	15A rackmount controlled and monitored power switch	761.01

peerless-AV™

PVP3000-PL8

PVP1000-PL6

PEERLESS SURGE PROTECTORS

Protect your electronic equipment with this new line of surge protectors. The PVP-1000-PL6 has 6 outlets mounted, 3 per side with each side swiveling up to 90º. It has green and red indicator lights as well as an EMI/FRI noise filter. The PVP2000-4 features 4 outlets. One master outlet provides consistent power while cutting off power to the remaining outlets when the unit plugged into the master outlet is turned off. It also has RJ45/RJ11 combo jacks for network or phone line surge protection. The PVP3000-PL8 has 8 outlets, with 1 master outlet controlling the power to the other 7 outlets. The combination jack provides protection to modems, phone lines and routers. It also features an EMI/RFI noise filter. The PVP4000-PL10 features a master outlet which controls 7 other outlets while the remaining 3 are unswitched. The IR Signal Indicator allows the 7 controlled outlets to be powered on with any IR remote. The PVP4000-PL10 also includes green and red indicator lights, DSS/Coax connectors and RJ45/RJ11 network/phone combo jacks.

ITEM	DESCRIPTION	PRICE
PVP1000-PL6	6-outlet surge protector, swivel	17.97
PVP2000-PL4	4-outlet surge protector, master/slave control	36.80
PVP3000-PL8	8-outlet surge protector, master/slave control	44.40
PVP4000-PL10	10-outlet surge protector, master/slave control	90.00

SURGEX

SX2120

SA966

SURGEX PROFESSIONAL AC POWER PRODUCTS SurgeX's patented Series Mode® technology is superior to conventional MOV circuitry. It provides proven, reliable protection, stopping multiple surges of up to 6,000V, and does not produce ground contamination. The entire line meets the most stringent government purchase specifications for power line surge suppressors. Its A-1-1 rating assures you of dependable protection from destructive spikes, surges and inductive transients. All models carry a 10-year manufacturer's warranty. Models shown with COUVS® designation have Catastrophic Over/Under Voltage Shutdown feature.

ITEM	DESCRIPTION	PRICE
Rack Mount Models		
SEQ	2RU, 14-outlet, 20A, sequential startup, LCD display, ICE inrush current elimination, EMI/RFI filtering, COUVS®	1069.00
SX2120	2RU, 15-outlet, 20A, EMI/RFI filtering	749.00
SX1120RT	1RU, 9-outlet, 20A, ICE, COUVS®, remote control capability for AC power distribution systems, can interface with SEQ model	719.00
SX1115	1RU, 9-outlet, 15A, EMI/RFI filtering	559.00
SX1115RT	1RU, 9-outlet, 15A, ICE, COUVS®, remote control capability for AC power distribution systems, can interface with SEQ model	649.00
Stand-Alone Models		
SA966	6-outlet, 8A	229.00
SA1810	10-outlet, 15A, EMI/RFI filtering	369.00
SA15	2-outlet, 15A, EMI/RFI filtering	339.00
SA20	2-outlet, 20A, EMI/RFI filtering	389.00
SA-B	Mounting brackets (1 pair)	19.00

SURGEX SA82 FLATPAK™ PROTECTION FOR FLAT PANEL MONITORS AND PROJECTORS The SA82 utilizes the patented Series Mode® surge protection technology, Impedance Tolerant® EMI/RFI filtering and Over-Voltage-Shutdown which automatically restores power when line voltage returns to a safe level. Units are 8amp load capable and have 2 industrial-grade grounded AC receptacles. The unit's compact design can be easily integrated with today's flat panel monitor or projector mounting systems. The FlatPak SA82 is available in black and silver finishes, comes with detachable IEC power cord and universal mounting brackets. 10-year manufacturer's warranty.

ITEM	DESCRIPTION	PRICE
FLATPAK-SA82	2-outlet, 8A surge suppressor/power conditioner for LCD panels (select color)	259.00

whirlwind

PL1DI-L1420-010

WHIRLWIND POWER LINK These UL® listed tactical power distributors are designed for live sound reinforcement, AV rental, or any event that requires multiple industrial-strength power drops. It is encased in 0.074" powder-coated, cold-rolled steel. Multiple Powerlink units can be linked together, creating single-circuit chains of AC distribution.

ITEM	DESCRIPTION	PRICE
PL1DI-L1420-010	Splits a single L14-20 NEMA twist-lock AC connector to (2) 20A Powercon® outlets	286.61
PL1DI-L2120-010	Splits a single L21-20 NEMA twist-lock AC connector to (3) 20A Powercon® outlets	349.83
PL1DI-L1430-010	Splits a single L14-30 NEMA twist-lock AC connector to (2) 20A Powercon® outlets	400.89
PL1DI-L2130-010	Splits a single L21-30 NEMA twist-lock AC connector to (3) 20A Powercon® outlets	418.12

WHIRLWIND POWER DISTROS A safe and reliable UL® Listed Power Distro that features lightweight aluminum panels, premium, fast response magnetic circuit breakers, and top of the line components. These power distributor systems are built to suit your needs; Choose from multiple types of input panels, main breaker panels, combo panels, breaker panels, output panels, and power meter/accessories. Please call your Sales Pro for custom ordering information.

ANSMANN energy

ANSMANN NIMH 1.2V RECHARGEABLE CELLS You can use rechargeable NiMH batteries in all kinds of electronic appliances such as radios, portable CD players, audio appliances and flashlights and they are especially qualified for high current applications. Using rechargeable batteries also reduces environmental pollution.

ITEM	DESCRIPTION	PRICE
AA-RECHARGEABLES-4PK	AA cell, 4-pack, 2850mAh, runs in wireless systems 10+ hrs, recycle 1,000 times	14.99
AAA-RECHARGEABLES	AAA cell, 4-pack, 1,000mAh, recycle 1,000 times	9.99
9V-RECHARGEABLES-300	9V, 1-pack, 250mAh, runs in wireless systems 4-6 hours, recycle 1,000 times	12.99

ENERGY-8-PLUS

ENERGY-16

ANSMANN ENERGY SERIES SMART BATTERY CHARGERS Battery conditioning stations with refreshing process, faulty cell detection, trickle charge, switch mode power supply for worldwide use (wide range input 100-240VAC).

ITEM	DESCRIPTION	PRICE
ENERGY-16	Up to 16 NiCd/NiMH cells, 1-12 Micro AAA/Mignon AA, 1-6 Baby C/Mono D and 4 pieces 9V block	99.50
ENERGY-8-PLUS	Up to 8 NiCd/NiMH cells, 1-6 Micro AAA/Mignon AA, 1-4 Baby C/Mono D and 2 pieces 9V block	69.99

ANSMANN PROFESSIONAL SERIES RACKMOUNT CHARGERS Microprocessor-controlled charging stations for use on stage, in the laboratory or in the field. Charging time approx. 2-4 hours. 3-year warranty.

ITEM	DESCRIPTION	PRICE
ALC161	1RU charge station for up to 16AA cells (NiCD/NiMH), 700mA charge current per cell, charge time 2-4 hours	539.00
PROFESSIONAL-8	1RU charge station for up to 8 9V cells, 75mA charge current per cell, charge time 2 hours	549.00

INTERSTATE BATTERIES

DURACELL

INTERSTATE

NiMH Rechargeable		PRICE
NIC1329	AAA 750MAH, NiMH Pre-charged 4-pack/rechargeable	CALL
NIC5115	C-Cell 1.2V 4AH, NiMH 1-pack/rechargeable	CALL
NIC5120	D-Cell 1.2V 9AH, NiMH carded 1-pack	CALL
NIC5122	9V 200MAH, NiMH carded	CALL
CHG6016	AA/AAA only 8-bay NICD-NiMH charger	CALL
CHG6015	9V/D/C/AA/AAA 4-bay charger	CALL

INTERSTATE

Battery Chargers		
CHG6015	Charger, universal, 4-bay	CALL
CHG6016	Charger for AA and AAA, 8-bay	CALL
NIC1321	Charger with 2 AA, USB	CALL
Workaholic Alkaline Series		
DRY0114	AAA, Alkaline Workaholic Gold HiDrain, 24-pack	CALL
DRY0069	AA, Alkaline Workaholic Gold HiDrain, 24-pack	CALL
DRY0075	AAA 1.5V, Alkaline Workaholic, 4-pack	CALL
DRY0070	AA 1.5V, Alkaline Workaholic, 4-pack	CALL
DRY0080	C-Cell, Alkaline Workaholic, 1-pack	CALL
DRY0085	D-Cell, Alkaline Workaholic, 1-pack	CALL
DRY0067	9V, Alkaline Workaholic, 1-pack	CALL
DRY0035	AAA, 1.5V, Alkaline Workaholic, Carded 4-pack	CALL
DRY0030	AA 1.5V, Alkaline Workaholic, Carded 4-pack	CALL
DRY0015	C-Cell 1.5V, Alkaline Workaholic, Carded 2-pack	CALL
DRY0020	D-Cell 1.5V, Alkaline Workaholic, Carded 2-pack	CALL
DRY0005	9V, Alkaline Workaholic, Carded 1-pack	CALL

DURACELL

Procell Series		
DRY1600	AAA, Procell, 4-pack	CALL
DRY1601	AA, Procell, 4-pack	CALL
DRY1602	C-Cell, Procell, 1-pack	CALL
DRY1603	D-Cell, Procell, 1-pack	CALL
DRY1604	9V, Procell, 1-pack	CALL